Standard antenna for devices with RTNC connector

ANT-RTNC.S-O-STD-2+5G

- Range: Line of sight approx. 300 m, indoors approx. 30 m
- Frequency range: 2.4 GHz – 2.5 GHz / 4.9 - 5.9 GHz
- Polarization: Linear vertical
- Gain 1.7 dBi

ANT-RTNC.S-O-STD-2+5G

Standard antenna for devices with RTNC connector

The antenna ANT-RTNC.S-O-STD-2+5G is a replacement antenna for devices such as W1002n, WI-Serie. It is swivel-mounted and can easily be adjusted to the desired position.

Product description

- VSWR: < 2,0
- Connector: RTNC plug
- Dimensions: approx. 14.5 cm x 1.5 cm
- Color: Black
- Operating temperature: -20 °C to +65 °C
- Storage temperature: -30 °C to +75 °C







Antenna program

A lot of people think of wireless LAN only as a product for wireless communication. Just the next step in the revolution of communication. On the surface this might be right but Funkwerk looks way beyond the surface. Funkwerk does not offer just products, we offer solutions. Our solutions are made up of fine-tuned individual components developed to harmonise perfectly.

Our purpose and the purpose of our solutions is to empower you to work freely and independently. We want to restore the serenity that was so natural in your childhood. For a child's playground knows no bounds, no fences and no restrictions, just like the wireless playground we want to create for you, because child's playground is wireless.

Please find an antenna portfolio overview in the download area.

Variants

ANT-RTNC.S-O-STD-2+5G (600487)	Antenna standard dual Band RTNC plug